

# PIPE & TUBING

## WELDED STAINLESS TUBING

O.D./IN.	WALL/IN.	I.D./IN.	WT./FT.
.250	.065	.120	.128
.375	.065	.245	.215
.500	.065	.370	.302
.625	.065	.495	.389
.750	.065	.620	.476
.875	.065	.745	.562
1.000	.065	.870	.649
1.035	.065	.905	.673
1.125	.065	.995	.736
1.250	.065	1.120	.823
1.500	.065	1.370	.996
1.750	.065	1.620	1.170
1.875	.065	1.745	1.257
2.000	.065	1.870	1.343
2.125	.065	1.995	1.435
2.250	.065	2.120	1.517
2.500	.065	2.370	1.690
3.000	.065	2.870	2.037
3.500	.065	3.370	2.385
4.000	.065	3.870	2.732
5.000	.065	4.870	3.426
6.000	.065	5.870	4.120
8.000	.120	7.760	10.100
10.000	.065	9.870	6.897

## COPPER TUBE

SIZE		TYPE K		TYPE L/ACR	
NOM	O.D.	HARD	COILS	HARD	COILS
Standard Lengths		20' Lengths	60' thru 1-1/2 100' thru 1-1/4 40' & 60'-2" only	20' Lengths	60' thru 1-1/2 100' thru 1-1/4 40' & 60'-2" only
NOM	O.D.	WALL	WGT/FT	WALL	WGT/FT
1/4	3/8	.035	.145	.030	.126
3/8	1/2	.049	.269	.035	.198
1/2	5/8	.049	.344	.040	.285
5/8	3/4	.049	.418	.042	.362
3/4	7/8	.065	.641	.045	.455
1	1-1/8	.065	.839	.050	.655
1-1/4	1-3/8	.065	1.04	.055	.884
1-1/2	1-5/8	.072	1.36	.060	1.14
2	2-1/8	.083	2.06	.070	1.75
2-1/2	2-5/8	.095	2.93	.080	2.48
3	3-1/8	.109	4.00	.090	3.33
3-1/2	3-5/8	.120	5.12	.100	4.29
4	4-1/8	.134	6.51	.110	5.38
5	5-1/8	.160	9.67	.125	7.61
6	6-1/8	.192	13.90	.140	10.20
8	8-1/8	.271	25.90	.200	19.30

## STEEL: BLACK & GALVANIZED

SCHEDULE 40			SCHEDULE 80			21 FEET SCHEDULE 40	
NOM SIZE	NOM WALL TKS.	WT. PER FT.	NOM WALL TKS.	WT. PER FT.	PCS. PER LIFT	FEET PER LIFT	WT. LBS. PER LIFT
1/8	.068	.2447	.095	.3145	-	-	-
1/4	.088	.4248	.119	.5351	240	5040	2141
3/8	.091	.5676	.126	.7388	180	3780	2146
1/2	.109	.8510	.147	1.088	120	2540	2162
3/4	.113	1.131	.154	1.474	84	1764	1995
1	.133	1.679	.179	2.172	60	1260	2116
1-1/4	.140	2.273	.191	2.997	42	882	2005
1-1/2	.145	2.718	.200	3.631	36	756	2055
2	.154	3.653	.218	5.022	26	546	1995
2-1/2	.203	5.793	.276	7.661	18	378	2190
3	.216	7.576	.300	10.25	14	294	2227
3-1/2	.226	9.109	.318	12.51	12	252	2295
4	.237	10.79	.337	14.98	10	210	2266
5	.258	14.62	.375	20.78	8	168	2456
6	.280	18.97	.432	28.57	7	147	2789
8	.322	28.55	.500	43.39	5	105	2996

## PVC PRESSURE PIPE PVC1120, ASTM, D-1785, NSF-PW

SCHEDULE 40				SCHEDULE 80		
SIZE	O.D.	MIN. WALL	WT. PER 100'	O.D.	MIN. WALL	WT. PER 100'
1/2	.840	.109	16.18	.840	.147	20.62
3/4	1.050	.113	21.58	1.050	.154	28.01
1	1.315	.133	32.00	1.315	.179	41.22
1-1/4	1.660	.140	43.40	1.660	.191	57.06
1-1/2	1.900	.145	51.83	1.900	.200	69.18
2	2.375	.154	69.72	2.375	.218	95.86
2-1/2	2.875	.203	110.57	2.875	.276	146.21
3	3.500	.216	144.83	3.500	.300	195.84
4	4.500	.237	206.21	4.500	.337	286.24
5	5.563	.258	278.90	-	-	-
6	6.625	.280	363.38	6.625	.432	546.52
8	8.625	.322	546.95	8.625	.500	830.11

## REFRIGERATION SERVICE TUBE

O.D. SIZE	1/8"	3/16"	1/4"	5/16"	3/8"	1/2"	5/8"	3/4"
WALL THICKNESS	.030	.030	.030	.032	.032	.032	.035	.035
WT. PER FOOT	.0347	.0575	.0804	.109	.134	.182	.251	.305
WT. PER COIL	1.74	2.88	4.02	5.45	6.70	9.10	12.55	15.25